








LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
1		1 CUSHMAN, MODEL MINUTE MISER -E, ELECTRIC SHOP CART	THREE WHEEL, BUILT IN 24 VOLT CHARGER, 450 LBS CAPACITY, FOLD DOWN SEAT OR LIFT UP FOR PACK MULE STYLE, TOW HITCH, GOOD RUNNING CONDITION, SN 26084485	\$ 250.00
2		1 CUSHMAN, MODEL MINUTE MISER -E, ELECTRIC SHOP CART	THREE WHEEL, BUILT IN 24 VOLT CHARGER, 450 LBS CAPACITY, FOLD DOWN SEAT OR LIFT UP FOR PACK MULE STYLE, GOOD RUNNING CONDITION, TOW HITCH	\$ 250.00
3		1 HAMMOND, DOUBLE END GRINDER	12" X 2" GRINDING WHEEL , 14" X 1 1/2" RUBBER WHEEL , 1800 -3000 RPM, 5 HP, 230/460 3-PHASE , ALLEN BRADLEY STARTER SWITCH	\$ 50.00
4		1 HAMMOND, MODEL 1000 -VW, ABRASIVE BELT GRINDER	12" WIDE BELT, 3400 RPM, 7.5 HP, 440 VOLT 3-PHASE, DISASSEMBLED ON PALLET	\$ 50.00
4A		1 APPLIED CONTROLS TECHNOLOGY, BELT SANDER/GRINDER	1 1/2" BELT, 10" DIAMETER WHEEL, WITH "DUST COP" COLLECTION SYSTEM ON PALLET	\$ 50.00
5		1 DENNISON, MODEL 50-T, MULTIPRESS	50 TON CAPACITY FOUR POST HYDRAULIC TRIM PRESS, 16 INCHES OF STROKE, SN 17750	\$ 250.00
6		1 DENNISON, MODEL 50-T, MULTIPRESS	50 TON CAPACITY, FOUR POST HYDRAULIC TRIM PRESS, 16 INCHES OF STROKE	\$ 250.00
6A		1 DENNISON, MODEL 50-T, MULTIPRESS	50 TON CAPACITY, FOUR POST HYDRAULIC TRIM PRESS 16 INCHES OF STROKE	\$ 250.00
7		1 DENNISON, HYDRAULIC PRESS	30 TON CAPACITY FOUR POST HYDRAULIC TRIM PRESS	\$ 250.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID	
8		1	KARD, MODEL TP 20-4 , HYDRAULIC TRIM PRESS	20 TON CAPACITY 4-POST HYDRAULIC TRIM PRESS, 20" DAYLIGHT, 14" STROKE, 32" X 24" LOWER PLATE	\$ 250.00
9		1	KARD, MODEL TP 40-I, HYDRAULIC PRESS	40 TON CAPACITY, FOUR POST HYDRAULIC TRIM PRESS, 28" DAYLIGHT , 45 X 28" MOVING PLATE , 10 HP	\$ 500.00
10		1	KR WILSON, HYDRAULIC TRIM PRESS	28 TON CAPACITY 4 POST HYDRAULIC TRIM PRESS, 27" DAYLIGHT, 45" X 28" MOVING PLATE	\$ 250.00
11		1	METAL MECHANICS, HYDRAULIC TRIM PRESS	28 TON , 4- POST HYDRAULIC TRIM PRESS REBUILT 7/02 , 18" STROKE , SN2574	\$ 500.00
12		1	DENNISON MULTIPRESS	20 TON CAPACITY FOUR POST HYDRAULIC TRIM PRESS, 12" STROKE, 42" X 28" MOVING PLATE	\$ 250.00
12A		1	LOGAN HYDRAULIC GAP FRAME PRESS	VERTICAL GAP FRAME PRESS	\$ 100.00
13		1	ALZMETAL, MODEL AB40/ST, HEAVY DUTY DRILLING MACHINE	SINGLE HEAD, DOUBLE REAMERS, PNEUMATIC CLAMPS, 460 VOLT 3-PHASE, SN 633, DOM 1985	\$ 50.00
14		1	ALZMETAL, MODEL AB40/ST, HEAVY DUTY DRILLING MACHINE	SINGLE HEAD, DOUBLE REAMERS, PNEUMATIC CLAMPS, 460 VOLT 3-PHASE, SN 620, DOM 1985	\$ 50.00
15		1	LENAWEE, DRILLING MACHINE	TWIN HEAD, QUAD REAMERS, PNEUMATIC CLAMPS, 15 HP MAIN MOTOR 460 VOLT 3-PHASE	\$ 50.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
16	1	ROCKWELL, MODEL 17-600, DRILL PRESS	2 STATION FOR DRILLING AND DEBURRING, PUSH BUTTON CONTROL, BELLOWS POWER FEED, ROCKWELL 3/4 HP MOTOR, 208-220/440 VOLT 3-PHASE	\$ 50.00
17	1	ROCKWELL, DRILL PRESS	2 STATION FOR DRILLING AND DEBURRING, PUSH BUTTON CONTROL, BELLOWS - VALVAIR POWER FEED, ROCKWELL 3/4 HP MOTOR, 208-220/440 VOLT 3-PHASE	\$ 50.00
18	1	RMT, 20" DRILL PRESS	22" X 20" TABLE, 180 DEGREE SWING, DEMAG 3.1 HP MOTOR 230/460 VOLT 3-PHASE	\$ 100.00
19	1	RMT, MODEL COMMANDER, DRILL PRESS	24" X 36" TABLE, 180 DEGREE SWING, DEMAG 3.1 HP MOTOR 230/460 VOLT 3-PHASE	\$ 100.00
20	1	RMT, MODEL 20SPDU, AUTOMATED MULTIDRILL STATION	44" X 26" ENCLOSURE, COOLANT HEAT EXCHANGER, BALDOR 5 HP 460 VOLT 3- PHASE MOTOR, SN C1016	\$ 100.00
21	1	ROCKWELL, MODEL 17-600 DRILL PRESS	14" X 14" TABLE, MODEL 18 TAPPER HEAD	\$ 50.00
22	1	ROCKWELL, MODEL 17-600 DRILL PRESS	14" X 14" TABLE, HORIZONTAL DRILL ATTACHMENT	\$ 25.00
23	1	HORIZONTAL GANG DRILLING STATION	7-HEAD, BROOK HANSON 1/3 HP MOTORS , JTI SPINDLE TAPER , NEWTRIC "SELF FEEDER" MODEL SN3U , 3.15" STROKE	\$ 25.00
24	1	KINGSBURY, MODEL 23 DRILLING HEADS	(2) STATION 4V HEADS	\$ 25.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
25	1	RMT, DRILL HEAD	DEMAG 3.1 HP MOTOR	\$ 25.00
25A	1	RMT, DRILL HEAD	DEMAG 3.1 HP MOTOR	\$ 25.00
26	1	ROCKWELL, MODEL 20 DRILL PRESS HEAD	WORKING HEAD ON PALLET, 4 BOLT TABLE MOUNT	\$ 25.00
27	1	DRILL PRESS TABLE	24" X 36" WORK TABLE, DRILL PRESS COLUMN	\$ 25.00
28	1	DoALL, MODEL C-916 HORIZONTAL BAND SAW	9" X 16", 159" BLADE LENGTH, ADJUSTABLE SPEED BLADE UP TO 275' PER MIN, 2 HP BALDOR MOTOR, 460 VOLT 3-PHASE	\$ 250.00
29	1	LIAN FENG MACHINE, MODEL 136-2730 HORIZONTAL BAND SAW	9" X 16", ADJUSTABLE FEED RATE AND HEIGHT SELECTOR , TECO 3 HP 460 VOLT MOTOR 3-PHASE	\$ 100.00
30	1	INGERSOLL, TOOL SHARPENER	ROTATING HEAD 0-45 DEGREE, 8" DIAMOND WHEEL	\$ 50.00
31	1	COLCHESTER, MODEL CLAUSING 15, ENGINE LATHE	COMPOUND REST, TAILSTOCK, 10" 3-JAW CHUCK , 15" CLAUSING GEARED/HEAD, 1250 mm GAP ENGLISH LEFT HAND, COLLET SET, MANUAL, SN TG0058/003	\$ 250.00
32	1	CINCINNATI, NUMBER 3, HORIZONTAL MILL	17" X 60" TABLE, ANRAM "MINIWIZZARD" DIGITAL READ-OUT (DRO), ACCEPTS TAPER 50 TOOLING, 18-1300 RPM	\$ 100.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
33	1	CINCINNATI, RIGHT ANGLE MILLING HEAD	WITH TAILSTOCK PIECE, FITS REAR SPINDLE FOR VERTICAL MILLING	\$ 25.00
34	1	TAPER 50 TOOLING	TOOL HOLDERS, SHELL MILLS, EXTENSIONS	\$ 25.00
35	1	MICROSET, MODEL ECO 1, TOOL PRESETTER	MICROSET MODEL DPS DRO	\$ 250.00
36	1	DIVERSITECH, MODEL W-1200, DUST COLLECTOR	3-HP MOTOR, 24" X 24" FILTER	\$ 50.00
37	1	VIBRATORY FINISHING MACHINE	48" DIAMETER VIBRATORY BOWL INCLUDING CERAMIC MEDIA	\$ 100.00
38	1	VICKERS, MODEL 98H-39536, HYDRAULIC PUMP UNIT	30 GALLON TANK, VICKERS DIRECTIONAL VALVES, VICKERS 15 HP MOTOR	\$ 50.00
39	1	JOBIN YVON, TYPE JY 16 E, SPECTROMETER	36" X 48" X 46H ENCLOSED CABINET , SINGLE PHASE , 640 mm MONOCHROMATOR	\$ 50.00
40	1	S.HIMMELSTIEN, LEAK INDICATOR		\$ 25.00
41	1	SPRA-RITE, LUBRICATION INJECTION SYSTEM	ALLEN BRADLEY MICROVIEW CONTROL	\$ 5.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
42	1	SPRA-RITE, LUBRICATION INJECTION SYSTEM	ALLEN BRADLEY MICROVIEW CONTROL	\$ 5.00
43	1	MINITMAN, FLOOR SWEEPER	WALK BEHIND, LP GAS, SELF PROPELLED	\$ 25.00
44	1	NORTON, ABRASIVE PRODUCTS	WIRE BRUSH WHEELS, 12" OD, 6" AND 4" ID, 1" WIDE SANDING BELTS	\$ 50.00
45	1	HERCULES, MODEL TT-23842, PARTS BASKET TIPPER	2000 LBS. CAPACITY, 42" X 48" TABLE, FOOT PEDAL CONTROL	\$ 50.00
46	1	AIR TECH INDUSTRIES ,MODEL ZDL 5048, GROUND LEVEL LIFT TABLE	2000 LBS. CAPACITY , 50" X 48" TABLE	\$ 50.00
47	1	AIR TECH INDUSTRIES, MODEL ZDL 5048, GROUND LEVEL LIFT TABLE	LOT OF (3) 2000 LBS. CAPACITY , 50" X 48" TABLE , IN OUT BUILDING	\$ 50.00
48	1	AIR TECH INDUSTRIES, MODEL ZDL 5048, GROUND LEVEL LIFT TABLE	LOT OF (3) 2000 LBS. CAPACITY, 50" X 48" TABLE, IN OUT BUILDING	\$ 50.00
48A	1	PRESTO LIFTS, SCISSOR LIFT TABLE	2000 LBS. CAPACITY, 24" X 36" TABLE, FOOT PEDAL OPERATED , 120 VOLT	\$ 50.00
48B	1	PRESTO LIFTS, SCISSOR LIFT TABLE	2000 LBS. CAPACITY, 24" X 36" TABLE , FOOT PEDAL OPERATED , 120 VOLT	\$ 50.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
49	1	CHIRON-WERKE, MODEL FZ-12-W, CNC VERTICAL MACHINING CENTER	26" x 13.8" 180 DEGREE ROTATING PALLET STATION, (2) - PALLETS , AUTOMATIC TOOL CHANGER CAPACITY 24, KNOWL CHIP CONVEYOR, GE FANUC O M SERIES CONTROL, 21.65" X TRAVEL, 15.75" Y, 16.54" Z, DIMENSIONS -130" W x 138" L x 122" H ,SN 180-41 , DOM 1994 6,600 LBS. MACHINE WEIGHT	\$ 1,000.00
50	1	CHIRON-WERKE, MODEL DZ-12-W, CNC VERTICAL MACHINING CENTER	PEISLER PALLET STATION ,GE FANUC O M SERIES CONTROL , 21.65" X TRAVEL , 15.75" Y , 16.54" Z , AUTOMATIC TOOL CHANGER CAPACITY 24 , DIMENSIONS 130" W X 138 " X 122" H , DOM 1994 ,KNOWL 350-KM CHIP CONVEYOR , 40 TAPER SPINDLE , 60 STATION ATC	\$ 1,000.00
51	1	PARLEC, CAT 30 TOOL HOLDERS	(10) COLLET STYLE WITH TOOLING	\$ 25.00
52	1	MITSUBISHI, MODEL M-V5B, CNC VERTICAL MACHINING CENTER	3-AXIS, X-TRAVEL 31.5", Y- 20", Z-18.1", AUTOMATIC TOOL CHANGER CAPACITY 30, # 40 TAPER SPINDLE, MITSUBISHI CONTROL , SN9V4249	\$ 1,000.00
52A	1	MITSUBISHI, MODEL M-H4A, CNC HORIZONTAL MACHINING CENTER	180 DEGREE PALLET CHANGER, (2) 16" X 16" PALLETS, MITSUBISHI CONTROL, YOSHIDA CONVEYOR , HYDRAULIC PUMP /TANK, X- 20", Y – 20", Z – 20" TRAVEL , Full 4th AXIS , BT 40 TAPER SPINDLE	\$ 1,000.00
53	1	ACME FAB, PARTS WASHER	NATURAL GAS HEATED , 300 GALLON WASH TANK , HONEYWELL GAS VALVES AND CONTROL 18" W X 20' L CHAIN CONVEYOR, SN92308	\$ 100.00
53A	1	ROSEMONT, PARTS WASHER	18" X 96" HYTROL CONVEYOR , 12 SPRAY HEADS, 200 GALLON TANK , DAYTON PUMP	\$ 100.00
54	1	BARNET, TYPE 943061, DEAD WEIGHT TESTER	WITH CASE AND CALIBRATED LAB WEIGHTS	\$ 10.00
55	1	PRECISION GAGE, AIR GAGE SET	WITH TOOLS AND STANDARDS	\$ 10.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
56	1	MEULLER GAGE, MODEL 179 , DIGITAL INDICATOR	WITH CASE AND MEASURING TIPS	\$ 10.00
57	1	FEDERAL, MODEL 75110, DIGITAL INDICATOR	(15) IN LOT	\$ 50.00
58	1	MAHR, MODEL MARCATOR 1087, DIGITAL INDICATORS	(4) IN LOT WITH (3) MITUTOYO INDICATORS	\$ 50.00
59	1	STARRETTE, DEPTH MICROMETERS	(3) IN LOT	\$ 25.00
60	1	OUTSIDE MICROMETERS	(8) IN LOT	\$ 25.00
61	1	STARRETTE, MODEL 254, HEIGHT GAGE	WITH (1) 18" AND (1) 12"	\$ 25.00
62	1	BLAKE MANUFACTURING, CO-AX INDICATOR	(3) IN LOT WITH CASE, MEASURES ID-OD AND CENTER PUNCH	\$ 25.00
63	1	QUALITY CONTROL SUPPLIES	(3) PALLETS INCLUDING FIXTURES , DOWEL PIN GAGES, PLUG GAGES, (3) VERNIER CALIPERS	\$ 50.00
64	1	QUALITY CONTROL SUPPLIES	(3) PALLETS INCLUDING FIXTURES, DOWEL PIN GAGES, GAGE BLOCKS, OD FIXTURE.	\$ 50.00



LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
65	1	QUALITY CONTROL SUPPLIES	(2) PALLETS INCLUDING FIXTURES, TORQUE DRIVER, CLAMPING SYSTEM	\$ 25.00
66	1	TRANSFORMER	DRY TYPE, NO NAME PLATE	\$ 10.00
67	1	THYSSENKRUPP, MODEL TURMAT , MULTI STATION MACHINING CENTER	(2) SIEMENS MODEL SINUMERIC CONTROLS , (4) WITZIG & FRANK CONTROLS , (2) MACHINING CELLS , COMMON HYDRAULIC PUMP /FILTER AND COOLANT, WITZIG & FRANK CONTROL CABINET, HORIZONTAL AND VERTICAL SPINDLES ON EACH STATION	\$ 50,000.00
68	1	PRECISION QUINCY MODEL 92-850TM ELECTRIC FIRED OVEN; S/N 11250 (NEW 11-1994),	HEAT TREAT AREA DIMENSION: 60" WIDE X 92" DEEP X 72" HEIGHT WITH 7.5 HORSE POWER BLOWER. FURNACE IS ALSO KNOWN AS HEAT TREATED OVEN	\$ 500.00
69	1	CEC (CONSOLIDATED ENGINEERING COMPANY) NATURAL GAS HEAT TREAT OVEN; S/N 2168 (NEW 05-1985)	HEAT TREAT AREA DIMENSION: 93" WIDE X 96" DEEP X 72" HEIGHT WITH 7.5 HORSE POWER BLOWER. FURNACE IS ALSO KNOWN AS HEAT TREATED OVEN	\$ 500.00



Die Cast Machinery, LLC

Precision Die Casting Inc.

Starts Feb. 11, 2015 8:00am First Lot Ends Feb. 25, 2016 10:00 am CDT

Precision Die Casting Inc.

232 Hopkinsville Road

Russellville, Kentucky 42276

LOT	QTY	DESCRIPTION	FULL SPECIFICATIONS	STARTING BID
<input type="checkbox"/>				