



Die Cast Machinery, LLC Inventory number: 4003

We offer for sale, subject to prior sale and the terms listed below:

Used Bosello 225 kv Real Time Industrial X-ray

Model: MA 6 CNC

Status: Available

Specifications:	Metric / U.S. Standard
Inspection Envelope (top of Cabinet to center of Image Intensifier - x-ray beam)	584.2 mm / 23 inches
Inspection Envelope (center of Image Intensifier to floor of Cabinet)	939.8 mm / 37 inches
Maximum weight of part to be inspected:	9 kg / 20 pounds
Manipulator Travel (up/down):	508 mm / 20 inches
Manipulator Travel (left/right):	406.4 mm / 16 inches
Manipulator Travel Image tube to x-ray tube (in/out):	482.6 mm / 19 inches
Focal Spot (according to Intl. Standard EN12543) small:	1.0 mm / 1.0 mm
Focal Spot (according to Intl. Standard EN12543) large:	2.0 mm / 2.0 mm
X-Ray Tube:	MXR 160/20 (DOM 08/05) / MXR 160/20 (DOM 08/05)
X-Ray Cabinet Dimension (L x W x H):	2159 x 990.6 x 1955.8 mm / 85 x 39 x 77 inches
Operator's Console Dimension (L x W x H):	1092.2 x 1168.4 x 1524 mm / 43 x 46 x 60 inches
Part's Loading Door Dimension (L x H):	431.8 x 584.2 mm / 17 x 23 inches

Features & Accessories:

Converted Manipulator operations to 2 joysticks and 1 switch for tilt.

Computer Image Processor, CPU, 20 inches LCD Monitor, Key Board, Mouse and Interconnecting Cables.

Software features includes Frame averaging, storing images on CD or hard drive, measuring of porosity, zoom features, and various other processing functions in order to make porosity or voids more pronounced.

Terms of Sale:

Price: [request quotation](#)

Shipping Terms: F.O.B. Warehouse

Product Photos:

Click on any image for a larger view

Description: Used, Bosello Model MA 6 CNC 225 kv Real Time Industrial X-ray For Sale, Features include: Converted Manipulator operations to 2 joysticks and 1 switch for tilt., Computer Image Processor, CPU, 20 inches LCD Monitor, Key Board, Mouse and Interconnecting Cables., Software features includes Frame averaging, storing images on CD or hard drive, measuring of porosity, zoom features, and various other processing functions in order to make porosity or voids more pronounced., , , Bosello XRC 1000 Controls, Second Hand, DCM-4003

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.