

Die Cast Machinery, LLC Inventory number ??: 5373 We offer for sale, subject to availability, prior sale and the terms listed below: Used Fulton Thermal Corp Model: FT-0080-C 235 kw (800,000BTU) Thermal Fluid Hot Oil Type Process Heater Temperature Control Unit | Natural Gas Heated Model: FT-0080-C Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170 Extension 2

Status: Available

Metric / U.S. Standard

Specifications:	Metric / U.S. Standard
Main Heater Power:	800,000 BTU (235KW) / 800,000 BTU (235 KW)
Maximum Rated Operating Temperature:	343 degrees C / 650 degrees F
Pump Motor Size:	7.5 kw / 10 HP
Heating Fluid Flow Rate:	189 liters per minute / 50 gallons per minute
Natural Gas Consumption @ full Output:	28.2 Cubic Meters Per Hour / 998 Cubic Feet Per Hour
Burner Blower:	1.1 KW / 1.5 hp
Overall Size (L x W x H):	1930.4 x 2235.2 x 3327.4 mm / 76 x 88 x 131 inches

Features & Accessories:

Package Type Unit - All components on Single Skid

Ideal for Asphalt Heating, Liquid Terminal Facilities, Chemical Processing, Food Processing, Dry Cleaning & Industrial Laundry, Paper Processing, Pharmaceutical, Textiles

Industry Leading Efficiencies Featuring: Preheated Combustion Air, Four Separate Flue Gas Passes, Air Cooled Jacket, High Turndown Burner - Linkageless Design

Low Cost of Ownership - High operating efficiency, Compact footprint saves valuable production floor space, Simple maintenance


*Optional Tower Mounted Bracket for Expansion Tank

Fulton High Efficiency Natural Gas Heated Hot Oil Process Heater | 800,000 BTU | 235 KW

Terms of Sale:

Price: request quotation Shipping Terms: F.O.B. Warehouse

Die Cast Machinery, LLC



Description: Used, Fulton Thermal Corp Model FT-0080-C 235 kw (800,000BTU) Thermal Fluid Hot Oil Type Process Heater Temperature Control Unit | Natural Gas Heated For Sale, Features include: Package Type Unit - All components on Single Skid, Ideal for Asphalt Heating, Liquid Terminal Facilities, Chemical Processing, Food Processing, Dry Cleaning & Industrial Laundry, Paper Processing, Pharmaceutical, Textiles, Industry Leading Efficiencies Featuring: Preheated Combustion Air, Four Separate Flue Gas Passes, Air Cooled Jacket, High Turndown Burner - Linkageless Design, Low Cost of Ownership - High operating efficiency, Compact footprint saves valuable production floor space, Simple maintenance , *Optional Tower Mounted Bracket for Expansion Tank, **Fulton High Efficiency Natural Gas Heated Hot Oil Process Heater | 800,000 BTU | 235 KW**, Fulton Digital Temperature Controller with Siemens LMV51.140B1 Burner Management System Controls, Second Hand, DCM-5373

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.