



Die Cast Machinery, LLC Inventory number: 3600

We offer for sale, subject to prior sale and the terms listed below:

Used Mokon 18 KW Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Model: H54218-F2

Total: 36 KW

**Status: Sold**

### **Specifications:**

### **Metric / U.S. Standard**

Main Heater Power (Zone #1):	18 KW / 18 KW
Pump Motor Size (Zone #1):	1.49 KW / 2 HP
Flow Rate (Zone #1):	75.70 liters per minute / 20 gallons per minute
Connection size/type (Zone #1):	1 inch NPT / 1 inch NPT
Maximum Operating Temperature:	260 degrees C / 500 degrees F
Main Heater Power (Zone #2):	18 KW / 18 KW
Pump Motor Size (Zone #2):	1.49 KW / 2 HP
Flow Rate (Zone #2):	75.70 liters per minute / 20 gallons per minute
Connection size/type (Zone #2):	1 inch NPT / 1 inch NPT
Maximum Operating Temperature:	260 degrees C / 500 degrees F
Overall Size (L x W x H):	1041 x 762 x 1549 mm / 41 x 30 x 61 inches
Full Load Amps @ 460/3/60:	52.0 amp / 52.0 amp

### **Features & Accessories:**

HTF 500 Series Mokon Dependability  
Water Cooling Circuit  
Built-in pump pressure relief valve  
Unit on casters for easy movement  
Eurotherm Controller

### **Terms of Sale:**

Price: [request quotation](#)

Shipping Terms: F.O.B. Warehouse

**Product Photos:**

Click on any image for a larger view



MOKON		
MODEL <b>H54218-F2</b>	SER. NO. <b>59195</b>	
VOLTS <b>460</b>	PHASE <b>3</b>	HERTZ <b>60</b>
HEATER AMPS <b>45.2</b>	MOTOR AMPS <b>6.8</b>	FULL LOAD AMPS <b>52.0</b>
TOTAL KW <b>36</b>	NO. MOTORS <b>2</b>	SDIC AMPS <b>5KA</b>
MAX. TEMP. <b>500°</b>	ELECTRICAL DRAWING NO. <b>130-1373</b>	
	ZONE 1	ZONE 2
HP	<b>2</b>	<b>2</b>
KW	<b>18</b>	<b>18</b>
	ZONE 3	----
		----
a division of PROTECTIVE CLOSURES CO., INC. a MARK IV INDUSTRIES company 2150 Elmwood Avenue, Buffalo, New York 14207		





**Description:** Used, Mokon Model H54218-F2 18 KW Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: HTF 500 Series Mokon Dependability, Water Cooling Circuit, Built-in pump pressure relief valve, Unit on casters for easy movement, Eurotherm Controller, , Eurotherm Controls, Second Hand, DCM-3600

**PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY:** Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.