DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Die Cast Machinery, LLC Inventory number: DCM-6034

Used PCDC Model: PCDC-QT 280 280 Gallon Quench Tank Capacity Quench Tanks used for quenching die castings

Status:	**Sold**
Manufacturer:	PCDC
Model:	PCDC-QT 280
Size:	280 Gallon Quench Tank Capacity
ID Number:	DCM-6034

PCDC - PCDC-QT 280 280 Gallon Quench Tank Capacity Quench Tanks used for quenching die castings, Controls

View this machine online: DCM-6034



Specifications

	U.S. Standard	Metric
Overall Outside Dimensions of Tank:	48 x 48 x 48 inches (L x W x H)	
Quench Tank Internal Dimensions:	40 x 40 x 30 inches (L x W x H)	
Tank Size:	280 Gallons	
Removable Basket Size	38 x 38 x 28 inches (L x W x H)	
Heat Exchanger Type:	Tube-in-shell	
Heat Exchanger Size:	4 inch diameter x 36 inches long	
Pumps Size:	1.5 HP - 70 Gallons per Minute	

Features & Accessories:

- Equipped with Tube in Shell Heat Exchanger with 1-1/2 HP pump to cool quench tank water
- Removable Basket allows for easy cleanout of tank

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Metal Mechanics Model: MM-50 50 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-6006
Sold – Return To Pace Black Creek DCM #4	DCM-6031
Sold – Rimrock/DieKast Model: 305/Diekast 300 Series 70 Inches of Stroke Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations	DCM-6032
Sold – F.W. Schaefer Model: FWS-600 600 Pounds per Hour Melt Rate Reverberatory Type Wet Bath Stationary Aluminum Melting and Holding Furnace	DCM-6033
Sold – PCDC Model: PCDC-SC 24 Inch Wide by 8 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6035
Sold – PCDC Model: PCDC-GNC 24 Inch Wide by 14 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6036

Sold – ABB Model: IRB 4400 45 Kilogram Six Axis Foundry Rated Industrial Robot	DCM-6037
Sold – PCDC Model: PCDC-30x156 30 Inch Wide by 13 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6038

Terms of Sale:

Price: **sold**

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-6034.

DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Photos - DCM-6034

Click any photo to open it full size on our website.



Photo 1 of DCM-6034 - view online




Photo 2 of DCM-6034 - view online

Description:

Used, PCDC Model PCDC-QT 280 280 Gallon Quench Tank Capacity Quench Tanks used for quenching die castings For_Sale, Features Include: Equipped with Tube in Shell Heat Exchanger with 1-1/2 HP pump to cool quench tank water, Removable Basket allows for easy cleanout of tank, controls, second Hand, DCM-6034

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.