



Die Cast Machinery, LLC Inventory number: 3584

We offer for sale, subject to prior sale and the terms listed below:

Used Producer 175 Metric Ton Horizontal Hot Chamber Zinc (Zamak) High Pressure Die Casting Machine

Model: DH-P150

Status: **Available**

Specifications:	Metric / U.S. Standard
Clamping Force	175 tons / 193 tons
Die Thickness (Minimum - Maximum)	152.4 to 508 mm / 6 to 20 inches
Platen Dimensions (Horizontal x Vertical)	698.5 x 668.02 mm / 27.5 x 26.3 inches
Clearance Between Tie Bars	449.58 x 419.1 mm / 17.7 x 16.5 inches
Tie Bar Diameter	80 mm / 3.15 inches
Closing Stroke	381 mm / 15 inches
Maximum Injection Force	220.7 tons / 8.69 tons
Injection Plunger Diameter	64.77 mm / 2.55 inches
Injection Positions:	99.82 mm / 3.93 inches
Ejector Stroke - Force	88.9 mm - 7.48 tons / 3.5 inches - 8.25 tons
Melting Pot capacity	498 kg / 1100 pounds
Weight of Machine	9979 kg / 22,000 pounds

Features & Accessories:

Fully automated with Producer automatic linear die sprayer and dedicated part extractor
Hydraulic center and fixed mechanical hydraulic bumper plate ejection
Two (2) auxiliary hydraulic core circuits, Hydraulic motorized die height
Air Safety Ratchet
automatic lubrication
Hydraulic nozzle clamping, one gooseneck nozzle, plunger shaft and piston

Terms of Sale:

Price: [request quotation](#)

Shipping Terms: Ex-site

Product Photos:

Click on any image for a larger view



Description: Used, Producer Model DH-P150 175 Metric Ton Horizontal Hot Chamber Zinc (Zamak) High Pressure Die Casting Machine For Sale, Features include: Fully automated with Producer automatic linear die sprayer and dedicated part extractor, Hydraulic center and fixed mechanical hydraulic bumper plate ejection, Two (2) auxiliary hydraulic core circuits, Hydraulic motorized die height, Air Safety Ratchet, automatic lubrication, Hydraulic nozzle clamping, one gooseneck nozzle, plunger shaft and piston, Mitsubishi FX2N PLC Controls, Second Hand, DCM-3584

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.