DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Die Cast Machinery, LLC Inventory number: DCM-6025


We offer for sale, subject to availability, prior sale and the terms listed below:

Used Rimrock Model: 305 50 Pound Pour Capacity Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations

Status:	**Available**
Manufacturer:	Rimrock
Model:	305
Size:	50 Pound Pour Capacity
ID Number:	DCM-6025

Rimrock - 305 50 Pound Pour Capacity Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations, Triangle Controls

View this machine online: DCM-6025



Specifications

	U.S. Standard	Metric
Stroke (adjustable):	40 to 70 Inches	1016 to 1778 mm
Pour Capacity (Aluminum):	50 pounds maximum	22.7 kg maximum
Power Requirements:	120/1/60	120/1/60
Draw-down:	17 inches maximum	431 mm maximum
Cycle Speed:	Adjustable	Adjustable
Pour Contour:	Adjustable 3 speed & 3 positions	Adjustable 3 speed & 3 positions
Maximum tilt of unit:	+/- 6 degrees	+/- 6 degrees

Features & Accessories:

- Works on either operator or helper side of machine - quick, simple change-over
- Automatic Pour Back feature
- Simple Mechanism, interchangeable parts with other Rimrock Models
- Rimrock Parts and Service Support
- Compact Size - Small footprint on floor

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Metal Mechanics Model: MM-35 35 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-6004
Sold – Metal Mechanics Model: MM-35 35 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-6005
Ex-Cell-O B&T Model: DC-650-A 650 Ton	DCM-6017
Rimrock/DieKast Model: 305/Diekast 70 Inches of Stroke Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations	DCM-6018
F.W. Schaefer Model: FWS-800 800 Pounds per Hour Melt Rate Reverberatory Type Wet Bath Stationary Aluminum Melting and Holding Furnace	DCM-6019

PCDC Model: PCDC-SC 24 Inch Wide by 8 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6020
PCDC Model: PCDC-GNC 24 Inch Wide by 14 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6021
ABB Model: IRB 4400-M2000 45 Kilogram Six Axis Foundry Rated Industrial Robot	DCM-6022
PCDC Model: PCDC-30x156 24 Inch Wide by 20 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6023
Return To Pace Black Creek DCM #3	DCM-6024
Lindberg MPH Model: 62-AMH-600-SP 600 Pound Per Hour Melt Capacity Reverberatory Type Wet Bath Stationary Aluminum Melting and Holding Furnace	DCM-6026
PCDC Model: PCDC-SC 24 Inch Wide by 8 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6027
PCDC Model: PCDC-GNC 24 Inch Wide by 14 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6028
ABB Model: IRB 4600 45 Kilogram Six Axis Foundry Rated Industrial Robot	DCM-6029
PCDC Model: PCDC-30x156 30 Inch Wide by 13 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-6030

Terms of Sale:

Price: **request quotation**

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-6025.

DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Photos - DCM-6025

Click any photo to open it full size on our website.




Photo 1 of DCM-6025 - view online



Photo 2 of DCM-6025 - view online

Description:

Used, Rimrock Model 305 50 Pound Pour Capacity Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations For Sale, Features include: Works on either operator or helper side of machine - quick, simple change-over, Automatic Pour Back feature, Simple Mechanism, interchangeable parts with other Rimrock Models, Rimrock Parts and Service Support, Compact Size - Small footprint on floor, Triangle Controls, Second Hand, DCM-6025

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.