



Die Cast Machinery, LLC Inventory number ??: 5596

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Sterlco Model: G9016-J1 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Model: G9016-J1

Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at [1-847-360-9170](tel:1-847-360-9170) Extension 2

Status: Available

Specifications:

Metric / U.S. Standard

Main Heater Power (Zone #1):	12 KW / 12 KW
Pump Motor Size (Zone #1):	.75 KW / 1 HP
Maximum Operating Temperature:	288 degrees C / 550 degrees F
Flow Rate (Zone #1):	68 - 113 liters per minute / 18 - 30 gallons per minute
Connection size/type:	1 inch NPT / 1 inch NPT
Shipping Size (L x W x H):	1219 x 1067 x 1854 mm / 48 x 42 x 73 inches
Net Weight:	308 kg / 678 pounds
Full Load Amps @ 460/3/60:	18 amp / 16 amp

Features & Accessories:

Eurotherm 3216 Controller
Alarms for low fluid pressure, pump rotation, over temperature
Set points for Process, High Alarm, Low Alarm
Displays for Process Temperature, Return Temperature and Temperature Difference
Water Cooling Circuit

Terms of Sale:





Price: [request quotation](#)




Shipping Terms: F.O.B. Warehouse

Product Photos:

Click on any image for a larger view







Next photographs will show the process reaching temperature



DIE CAST MACHINERY LLC





We've reached the maximum rated temperature. We will turn off the heating circuit and let the unit return to room temperature before shutting the system down.





Description: Used, Sterlco Model G9016-J1 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: Eurotherm 3216 Controller, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference , Water Cooling Circuit, , Eurotherm 3216 Controls, Second Hand, DCM-5596

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.