

Die Cast Machinery, LLC Inventory number ??: 5649

We offer for sale, subject to availability, prior sale and the terms listed below:

<u>Used Sterlco Model: M2B2016-M1 12 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit</u>

Model: M2B2016-M1

Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170

Extension 2

Status: Available

Specifications:	Metric / U.S. Standard
Main Heater Power (Zone #1):	12 KW / 12 KW
Pump Motor Size (Zone #1):	1.49 KW @ 1125 RPM / 2 HP @ 1125 RPM
Flow Rate (Zone #1):	68.1 liters per minute / 18 gallons per minute
Connection size/type:	3/4 inch NPT / 3/4 inch NPT
Maximum Operating Temperature:	288 degrees C / 550 degrees F
Motor:	1125 RPM / 1125 RPM

Catalog Overall Size (L x W x H): 1194 x 482.6 x 1194 mm / 47 x 19 x 47 inches Full Load Amps @ 460/3/60: 18 AMPS / 18 AMPS

Catalog Approximate Shipping Weight: 18 AMPS / 18 AMPS / 18 AMPS / 18 AMPS

Features & Accessories:

Sterlco M2B Microprocessor Control System

Alarms for low fluid pressure, pump rotation, over temperature

Set points for Process, High Alarm, Low Alarm

Displays for Process Temperature, Return Temperature and Temperature Difference

Equipped with Water Cooling Circuit Built-in pump pressure relief valve

Terms of Sale:

Price: request quotation

Shipping Terms: F.O.B. Warehouse

Product Photos:

Click on any image for a larger view

MODEL NO. M2B2016-M1 SERIAL NO. 31H5448 ELEM, DIAG. NO 87913 VOLTS 460 PH. 3 HZ 60 WATTS PER HEATER 12 KW HP 2FLA 18 VA 150 CONTROL CIRCUIT V 115

MILWAUKEE. WI

More Pictures & Live Video Coming Soon



Get a Quote Now!

Click the

RFQ Button



Description: Used, Sterlco Model M2B2016-M1 12 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: Sterlco M2B Microprocessor Control System, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference, Equipped with Water Cooling Circuit, Built-in pump pressure relief valve, Sterlco M2B Microprocessor Control System Controls, Second Hand, DCM-5649

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.