

Die Cast Machinery, LLC Inventory number ??: 5659

We offer for sale, subject to availability, prior sale and the terms listed below:

<u>Used Sterico Model: M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with</u>

Cooling Water Circuit Model: M2B2016-M1

Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170

Extension 2

Status: Available

## Specifications: Metric / U.S. Standard

Main Heater Power (Zone #1): 24 KW / 24 KW

Pump Motor Size (Zone #1): 1.49 KW @ 1,755 RPM / 2 HP @ 1,755 RPM
Flow Rate (Zone #1): 68.1 liters per minute / 18 gallons per minute

Connection size/type: 1 inch NPT / 1 inch NPT

Maximum Operating Temperature: 288 degrees C / 550 degrees F

Catalog Overall Size (L x W x H): 1066.8 x 482.6 x 1168.4 mm / 42 x 19 x 46 inches

Full Load Amps @ 480/3/60: 32.2 AMPS / 32.2 AMPS Catalog Approximate Shipping Weight: 273 kg / 600 pounds

## Features & Accessories:

Sterlco M2B Microprocessor Controller

Alarms for low fluid pressure, pump rotation, over temperature

Set points for Process, High Alarm, Low Alarm

Displays for Process Temperature, Return Temperature and Temperature Difference

Equipped with Water Cooling Circuit Built-in pump pressure relief valve

## Terms of Sale:

Price: request quotation

Shipping Terms: F.O.B. Warehouse

## **Product Photos:**

Click on any image for a larger view

 Model #
 M2B-2016-M1
 Serial #
 44J6723

 DWG #
 682-91230
 - 00
 REV
 M

 VOLTS
 480
 PH
 3
 HERTZ
 60

 FLA
 32.2
 HTR KW
 24; 0; 0; 0
 0

 HP
 2; 0; 0; 0
 MOTOR FLA
 3

 FRAME
 RPM

 SHORT CIRCUIT CURRENT: 10KA
 MS SYM.

 480V MAX.
 WGT (KG)

 CONTROL VOLT, 115V.
 150

 MAX PRESSURE(150 PSIG)
 100PSI

 NEW BERLIN, WISCONSIN USA

More Pictures & Live Video Coming Soon



Get a Quote Now!

Click the

RFQ Button



**Description:** Used, Sterlco Model M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: Sterlco M2B Microprocessor Controller, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference, Equipped with Water Cooling Circuit, Built-in pump pressure relief valve, Sterlco M2B Microprocessor Controls, Second Hand, DCM-5659

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.