

DIE CAST  
MACHINERY  
LLC

3246 West Monroe Street  
Waukegan, IL 60085-3029 USA  
1-847-360-9170 Phone  
[www.diecastmachinery.com](http://www.diecastmachinery.com)

Die Cast Machinery, LLC Inventory number ??: 5660

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Sterlco Model: G9016-J1 36 (18,18) kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Model: G9016-J1

**Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at [1-847-360-9170](tel:1-847-360-9170)**  
**Extension 2**

**Status: Available**

### **Specifications:**

### **Metric / U.S. Standard**

TOTAL KW:	36 KW / 36 KW
Watts Per Heater (2 EACH):	18 kW / 18 kW
Pump Motor Size:	2.23 KW @ 1,725 RPM / 3 HP @ 1,725 RPM
Flow Rate:	68 liters per minute / 18 gallons per minute
Connection size/type:	19.05 mm NPT / 3/4 inch NPT
Maximum Operating Temperature:	288 degrees C / 550 degrees F
Overall Size (L x W x H):	1118 x 610 x 1575 mm / 44 x 24 x 62 inches
Full Load Amps @ 480/3/60:	48 AMPS / 48 AMPS
Approximate Shipping Weight:	430 kG / 950 pounds

### **Features & Accessories:**

West 4100 Microprocessor Controller

Alarms for low fluid pressure, pump rotation, over temperature

Set points for Process, High Alarm, Low Alarm

Displays for Process Temperature, Return Temperature and Temperature Difference

Unit is on casters for easy movement


### **Terms of Sale:**

Price: [request quotation](#)

Shipping Terms: F.O.B. Warehouse

**Product Photos:**

*Click on any image for a larger view*



**More Pictures &  
Live Video  
Coming Soon**



**Get a Quote Now!  
Click the  
RFQ Button**



**Description:** Used, Sterlco Model G9016-J1 36 (18,18) kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: West 4100 Microprocessor Controller, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference , Unit is on casters for easy movement, , West 4100 Controls, Second Hand, DCM-5660

**PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY:** Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.