

**DIE CAST
MACHINERY
LLC**

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Die Cast Machinery, LLC Inventory number ??: 5679

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Sterlco Model: M2B-2016-U1 36 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Model: M2B-2016-U1

**Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170
Extension 2**

Status: Sold

Specifications:	Metric / U.S. Standard
Main Heater Power (Zone #1):	36 kW / 36 KW
Pump Motor Size (Zone #1):	1.47 KW, 1755 RPM / 2 HP, 1755 RPM
Flow Rate (Zone #1):	91 liters per minute / 24 gallons per minute
Connection size/type:	1 inch NPT / 1 inch NPT
Maximum Operating Temperature:	288 degrees C / 550 degrees F
Overall Size (L x W x H):	1397 x 635 x 1600 mm / 55 x 25 x 63 inches
Full Load Amps @ 480/3/60:	43.30 AMPS / 43.30 AMPS
Approximate Shipping Weight:	430 kG / 950 pounds

Features & Accessories:

New in 2016

Sterlco M2B+ Microprocessor Controller

Alarms for low fluid pressure, pump rotation, over temperature and Set points for Process, High Alarm, Low Alarm

Displays for Process Temperature, Return Temperature and Temperature Difference

Equipped with Water Cooling Circuit & Built-in pump pressure relief valve

Unit on casters for easy movement

Terms of Sale:




Price: [request quotation](#)




Shipping Terms: F.O.B. Warehouse

Product Photos:




Click on any image for a larger view








Next photographs will show the process reaching temperature





Description: Used, Sterlco Model M2B-2016-U1 36 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: **New in 2016**, Sterlco M2B+ Microprocessor Controller, Alarms for low fluid pressure, pump rotation, over temperature and Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference , Equipped with Water Cooling Circuit & Built-in pump pressure relief valve, Unit on casters for easy movement, M2B+ Microprocessor Controls, Second Hand, DCM-5679

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.