



DIE CAST
MACHINERY
LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Die Cast Machinery, LLC Inventory number ??: 5578

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Sterlco Model: F6026-D-X 48 kw total (24 kw per zone) Dual (two) Zone Portable Hot Oil Process Heater
Temperature Control Unit with Cooling Water Circuit

Model: F6026-D-X

**Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170
Extension 2**

Status: Available

Specifications:

Metric / U.S. Standard

TOTAL KW:	48 kw / 48 kw
Main Heater Power per (Zone 1 & 2):	24 kw / 24 kw
Pump Motor Size per (Zone 1 & 2):	.75 kW / 1 HP
Flow Rate per (Zone 1 & 2):	90.8 liters per minute / 24 gallons per minute
Connection size/type per (Zone 1 & 2):	25.4 mm / 1 inch
Maximum Operating Temperature:	260 C / 500 F
Overall Size (L x W x H):	1016 x 1066.8 x 1422.4 mm / 40 x 42 x 56 inches
Full Load Amps @ 460/3/60:	63 amp / 63 amp

Features & Accessories:

Alarms for low fluid pressure, pump rotation, over temperature

Set points for Process, High Alarm, Low Alarm

Displays for Process Temperature

Unit on casters for easy movement

ATHENA Digital Temperature Controllers

Water Cooling Circuit

Terms of Sale:






Price: [request quotation](#)


Shipping Terms: F.O.B. Warehouse

Product Photos:

Click on any image for a larger view







Next photographs
will show the process
reaching temperature



Powering-up
Zone 1



01 ●
02
A1
A2
F1
F2

69 PV

500 SV

01 ●
02
A1
A2
F1
F2

103 PV

500 SV

01 ●
02
A1
A2
F1
F2

152 PV

500 SV

01 ●
02
A1
A2
F1
F2

193 PV

500 SV

01 ●
02
A1
A2
F1
F2

247 PV

500 SV



We've reached the maximum rated temperature. We will turn off the heating circuit and let the unit return to room temperature before shutting the system down.





Powering-up Zone 2





We've reached the maximum rated temperature. We will turn off the heating circuit and let the unit return to room temperature before shutting the system down.



Description: Used, Sterlco Model F6026-D-X 48 kw total (24 kw per zone) Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For Sale, Features include: Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Unit on casters for easy movement, ATHENA Digital Temperature Controllers, Water Cooling Circuit, ATHENA Digital Temperature Controllers Model: 18CBBB000000-AD Controls, Second Hand, DCM-5578

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.