DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Die Cast Machinery, LLC Inventory number: DCM-4442

Used Tool-temp Model: TT-188 9 kw in water mode 3 kw in oil mode Single Zone Portable Hot Water Process Heater Temperature control Unit

Status:	**Sold**
Manufacturer:	Tool-temp
Model:	TT-188
Size:	9 kw in water mode 3 kw in oil mode
ID Number:	DCM-4442

Tool-temp - TT-188 9 kw in water mode 3 kw in oil mode Single Zone Portable Hot Water Process Heater Temperature control Unit, MP-888 Controls

View this machine online: DCM-4442



Specifications

	U.S. Standard	Metric
Main Heater Power (in oil operation mode):	3 kW	3 kW
Main Heater Power (in water operation mode):	9 kW (selectable 3, 6 or 9 kw)	9 kW (selectable 3, 6 or 9 kw)
Pump Motor Size:	1 HP	.75 kW
Flow Rate/Maximum Pressure:	19.8 Gallons/64 PSIG	75 liter per minute/4.5 BAR
Negative Pressure Capable/Rating:	Yes, Maximum 314 inches of water column	Yes, Maximum vacuum 8 meters H20 water column
Maximum Operating Temperature (in oil mode):	302 Fahrenheit	150 Celsius
Maximum Operating Temperature (in water mode):	194 Fahrenheit	90 Celsius
Cooling Capacity (via water cooled heat exchanger):	61,400 BTU/Hour	18 kw
Process Connection size/type:	3/8 inch NPT	3/8 inch NPT
Full Load Amps @ 460/3/60:	12.2 Amps	12.2 Amps
Approximate Weight:	121 pounds	55 kg
Overall Size (L x W x H):	26 x 10 x 26 inches	670 x 260 x 650 mm

Features & Accessories:

- Features Tool-Temp MP-888 Self-Optimizing, Electronic Microprocessor controller with digital display of set and actual value
- Negative Pressure Leak-Stop Mode Available; Maximum vacuum 8 mH20 water column or 314 inches of water column
- Unit can run in either Hot Water Mode or Hot Oil Mode
- All Process Fluid Components of Stainless Steel or Bronze to
- Sealless Pump manufactured from Bronze for long life
- Self-Optimizing Temperature Control Unit with Digital Display of the set and actual temperature with High Precision regulation in 1/10 degree range

Terms of Sale:

Price: sold

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Shipping Terms: F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-4442.

DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Photos - DCM-4442

Click any photo to open it full size on our website.



Photo 1 of DCM-4442 - view online



Photo 2 of DCM-4442 - view online



Photo 3 of DCM-4442 - view online



Photo 4 of DCM-4442 - view online



Photo 5 of DCM-4442 - view online



Photo 6 of DCM-4442 - view online

Photos - DCM-4442 (continued)

Click any photo to open it full size on our website.



Photo 7 of DCM-4442 - view online



Photo 8 of DCM-4442 - view online



Photo 9 of DCM-4442 - view online



Photo 10 of DCM-4442 - view online



Photo 11 of DCM-4442 - view online



Photo 12 of DCM-4442 - view online

Photos - DCM-4442 (continued)

Click any photo to open it full size on our website.



Photo 13 of DCM-4442 - view online



Photo 14 of DCM-4442 - view online



Photo 15 of DCM-4442 - view online



Photo 16 of DCM-4442 - view online



Photo 17 of DCM-4442 - view online



Photo 18 of DCM-4442 - view online

DIE CAST MACHINERY LLC

3246 West Monroe Street
Waukegan, IL 60085-3029 USA
1-847-360-9170 Phone
www.diecastmachinery.com

Photos - DCM-4442 (continued)

Click any photo to open it full size on our website.



Photo 19 of DCM-4442 - view online



Photo 20 of DCM-4442 - view online

Description:

Used, Tool-temp Model TT-188 9 kw in water mode 3 kw in oil mode Single Zone Portable Hot Water Process Heater Temperature control Unit For_Sale, Features Include: Negative Pressure Leak-Stop Mode Available; Maximum vacuum 8 mH20 water column or 314 inches of water column, Unit can run in either Hot Water Mode or Hot Oil Mode, All Process Fluid Components of Stainless Steel or Bronze to, Sealless Pump manufactured from Bronze for long life, Self-Optimizing Temperature Control Unit with Digital Display of the set and actual temperature with High Precision regulation in 1/10 degree range, MP-888 controls, second Hand, DCM-4442

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.